CLAIMS

1. A host cell containing a recombinant expression vector, said vector encoding a protein comprising at least a portion of a *Clostridium botulinum* toxin, said toxin selected from the group consisting of type B toxin and type E toxin.

5

10

- 2. The host cell of Claim 1, wherein and said host cell is capable of expressing said protein at a level greater than or equal to 5% of the total cellular protein.
- 3. The host cell of Claim 1, wherein and said host cell is capable of expressing said protein as a soluble protein at a level greater than or equal to 0.25% of the total soluble cellular protein.
 - 4. The host cell of Claim 1, wherein said host cell is an *Escherichia coli* cell.
 - 5. The host cell of Claim 1) wherein said host cell is an insect cell.
 - 6. The host cell of Claim 1, wherein said host cell is a yeast cell.

15

- 7. A host cell containing a recombinant expression vector, said vector encoding a fusion protein comprising a non-toxin protein sequence and at least a portion of a *Clostridium botulinum* toxin, said toxin selected from the group consisting of type B toxin and type E toxin.
- 8. The host cell of Claim 7, wherein said portion of said toxin comprises the receptor binding domain.

- 9. The best cell of Claim 7, wherein said non-toxin protein sequence comprises a poly-histidine tract.
- 10. A vaccine comprising a fusion protein, said fusion protein comprising a non-toxin protein sequence and at least a portion of a *Clostridium botulinum* toxin, said toxin selected from the group consisting of type B toxin and type E toxin.
- 11. The vaccine of Claim 10 further comprising a fusion protein comprising a non-toxin protein sequence and at least a portion of *Clostridium botulinum* type A toxin.
- 12. The vaccine of Claim 10, wherein said portion of said *Clostridium* botulinum toxin comprises the receptor binding domain.
- 13. The vaccine of Claim 10 wherein said non-toxin protein sequence comprises a poly-histidine tract.
- 14. The vaccine of Claim 10, wherein said vaccine is substantially endotoxin-free.
- A method of generating antibody directed against a Clostridium botulinum toxin comprising:
 - a) providing in any order:
 - i) an antigen comprising a fusion protein comprising a non-toxin protein sequence and at least a portion of a *Clostridium botulinum* toxin, said toxin selected from the group consisting of type B toxin and type E toxin, and

15

10

ii) a host; and immunizing said host with said antigen so as to generate an antibody.

- 16. The method of Claim 15, wherein said antigen further comprises a 5 fusion protein comprising a non-toxin protein sequence and at least a portion of Clostridium botulinum type A toxin.
 - 17. The method of Claim 15, wherein said portion of said Clostridium botulinum toxin comprises the receptor binding domain.
 - The method of Claim 15 wherein said non-toxin protein sequence 18. comprises a poly-histidine tract.
 - The method of Claim 15 wherein said host is a mammal. 19.
 - The method of Claim 19 wherein said mammal is a human. 20.
 - The method of Claim 15 further comprising step c) collecting said 21. antibodies from said host.
- 15 22. The method of Claim 21 further comprising step d) purifying said antibodies.
 - The antibody raised according to the method of Claim 15. 23.
 - The antibody raised according to the method of Claim 16. 24.

10